

U.S. DEPARTMENT OF COMMERCE
PATENT AND TRADEMARK OFFICE

**PATENT APPLICATION
TRANSMITTAL LETTER**

ATTORNEY DOCKET NO.:
2207/6002

jc525 U.S. PTO
09/216457

86/81/21

Assistant Commissioner
for Patents
Washington D.C. 20231
Box Patent Application

Transmitted herewith for filing is the patent application of

Inventor(s): **Jay H. CONNELLY**

For : **METHOD AND APPARATUS FOR REDUCING CONFLICTS
BETWEEN SPEECH-ENABLED APPLICATIONS SHARING SPEECH
MENU**

Enclosed are:

1. **8** sheets of specification, **4** sheets of claims, and **1** sheet of abstract.
2. **3** sheet(s) of drawings.
3. Executed Declaration/Power of Attorney.
4. Assignment to Intel Corporation, and an Assignment Recordal sheet.
5. The filing fee has been calculated as shown below:

	NUMBER FILED	NUMBER EXTRA*	RATE (\$)	FEE (\$)
BASIC FEE				760.00
TOTAL CLAIMS	20 - 20 =	0	18.00	0.00
INDEPENDENT CLAIMS	4 - 3 =	1	78.00	78.00
MULTIPLE DEPENDENT CLAIM PRESENT			260.00	0.00
*Number extra must be zero or larger			TOTAL	838.00
If applicant is a small entity under 37 C.F.R. §§ 1.9 and 1.27, then divide total fee by 2, and enter amount here.			SMALL ENTITY TOTAL	

6. Please charge the required application filing fee of **\$838.00** to the deposit account of **Kenyon & Kenyon**, deposit account number **11-0600**.
7. The Commissioner is hereby authorized to charge payment of the following fees associated with this communication or credit any overpayment to the deposit account of **Kenyon & Kenyon**, deposit account number **11-0600**:
- A. Any additional filing fees required under 37 C.F.R. § 1.16;
 - B. Any additional patent application processing fees under 37 C.F.R. § 1.17;
 - C. Any additional patent issue fees under 37 C.F.R. § 1.18;
 - D. Any additional document supply fees under 37 C.F.R. § 1.19;
 - E. Any additional post-patent processing fees under 37 C.F.R. § 1.20; or
 - F. Any additional miscellaneous fees under 37 C.F.R. § 1.21.
8. A duplicate copy of this sheet is enclosed.

Dated: 18 December 1998

By: 

Michelle M. Carniaux (Reg. No. 36,098)

KENYON & KENYON
One Broadway
New York, New York 10004
(212) 425-7200 (phone)
(212) 425-5288 (facsimile)

2207/6002

PATENT

UNITED STATES PATENT APPLICATION
FOR

**METHOD AND APPARATUS FOR REDUCING
CONFLICTS BETWEEN SPEECH-ENABLED
APPLICATIONS SHARING SPEECH MENU**

INVENTOR:

JAY H. CONNELLY

PREPARED BY:

KENYON & KENYON
1025 CONNECTICUT AVE., N.W.
WASHINGTON, D.C. 20036

(202) 429-2800

Express Mail No. TB 838 070 167 US

**METHOD AND APPARATUS FOR REDUCING CONFLICTS
BETWEEN SPEECH- ENABLED APPLICATIONS SHARING SPEECH MENU**

FIELD OF INVENTION

The present invention relates to a method and apparatus for reducing conflicts between speech enabled applications sharing a speech menu.

BACKGROUND OF THE INVENTION

In conventional systems, a number of electronic devices can be controlled using a Speech-Enabled Application ("SEA") which is executed using a computer. In addition, a plurality of SEAs may exist in a particular electronic device (e.g., a Consumer Electronic ("CE") device such as a stereo system and a television set). Each command of the electronic device has a corresponding plurality of sound commands grouped together in a speech menu. A user, after activating a particular SEA device, issues a sound command (i.e., a word, phrase or tone). SEA matches the sound command to a corresponding execution command. Such matching is performed using tables or databases of SEA where the sound command and the execution command are stored. Then, the execution command is sent to a processor of the electronic device for execution.

There are several standards for constructing the speech menu of SEA. For example, Microsoft® Speech API ("Application Program Interface" or "SAPI") (Microsoft Corporation, Redmond, Washington) and Novel® Speech Recognition API ("SRAPI") (Novel Corporation, Ottawa, Canada) are two common standards for constructing the speech menu.

Conventionally, the speech menus are professionally created by independent software vendors ("ISVs") and they are typically static (i.e., they cannot be adjusted by the user; only the ISVs can modify them). A problem arises when the user is attempting to use simultaneously a number of SEAs that have different associated speech menus (e.g., these speech menus are not inter-operable). A conflict may arise between SEAs attempting to share different speech menus. This problem

occurs due to the nature of SEA and the speech menu, and their ability to distinguish one word, phrase or tone accurately from another. Thus, there is a need for improved interoperability between different SEAs.

5

SUMMARY OF THE INVENTION

An embodiment of the present invention provides for a method and apparatus for developing a speech menu which is adapted to store a plurality of sound commands for a speech-enabled application. A first sound command of the plurality of sound commands is compared to a second sound command to determine an accuracy value. If the accuracy value is less than a predetermined value, then at least one of the first sound command and the second sound command is replaced with a third sound command.

10

15

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 shows an exemplary embodiment of an apparatus including a distance accuracy application according to an embodiment of the present invention.

20

Figure 2a shows a first exemplary speech menu having two recognizable sound commands.

25

Figure 2b shows a second exemplary speech menu having one recognizable sound command.

Figure 3 shows a third speech menu which combines the first and second menus of Figures 2a-2b.

30

Figure 4 shows an exemplary flow chart of the distance accuracy application according to an exemplary embodiment of the present invention.

35

Figure 5 shows a final speech menu after an exemplary operation of the distance accuracy application.

DETAILED DESCRIPTION OF THE INVENTION

According to an exemplary embodiment of the present invention, diverse, independent SEAs are enabled to share efficiently a common speech menu. Such sharing (discussed in detail below) is achieved by measuring the quality of each sound command in speech menus and by using a quality metric procedure to determine an acceptable sound command. For instance, the sound command may include (1) a vocal command issued by, e.g., a human or robot, or (2) a tone command issued, e.g., a tone-producing apparatus, such as a telephone.

The quality of the sound command is determined by analyzing the likelihood that one word, phrase or tone (e.g., the sound command) of the speech menu will be incorrectly interpreted as another word, phrase or tone of the speech menu. The method according to an exemplary embodiment of the present invention provides a distance accuracy application that determines the most optimal sound command based on other active SEAs.

Figure 1 shows an apparatus 100 (e.g., a computer including a processor executing code, such as a Pentium II® processor, Intel Corporation, Santa Clara, California) executing a Speech-Enabled Application 110 ("SEA") and a Distance Accuracy Application 120 ("DAA"). Although DAA 120 of Figure 1 can work with different standards, in this exemplary embodiment, DAA 120 is being used in a SAPI implementation. SEA 110 and DAA 120 may be stored in, e.g., a memory arrangement, a processor, a microphone, and a speaker.

Apparatus 100 can be coupled to at least one electronic device using, e.g., a serial connection, a parallel connection, a dedicated card connection, an internet connection, a wireless connection, etc. Execution of SEA 110 by apparatus 100 controls a first electronic device (e.g., a personal computer ("PC")) and a second electronic device (e.g., a stereo). As shown in Figure 2a, SEA 110 stores a first speech menu which has a top level. The top level allows the user to issue sound commands, e.g., a first sound command

(e.g., "Turn PC off") or a second sound command (e.g., "Turn stereo off").

The user may also connect a further electronic device to apparatus 100 (e.g., a television set). The further electronic device can also be controlled by SEA 110. As shown in Figure 2b, the further electronic device can be controlled by a third sound command (e.g., "Turn TV off"). It should be noted that the present invention does not impose limitations on how many SEA devices can be connected to apparatus 100 and on how many SEA devices can be controlled by SEA 110. The SEA device may be a computer, a stereo system, a telephone, a video cassette recorder, a home appliance control device, a cordless computer access device, a lighting system, or any other suitable apparatus.

As shown in Figure 3, a second speech menu includes e.g., the first, second and third sound commands. As shall be described below, a vocal pronunciation of the exemplary first sound command and the exemplary second sound command is sufficiently distinctive. As such, SEA 110 has a high probability of differentiating a correct request. Such probability is determined using, for example, a conventional method of acoustical pattern matching ("APM").

An APM method compares the acoustical patterns of at least two sound commands provided thereto and determines an accuracy value (i.e., an indicator of how accurately can SEA 110 differentiate between the two sound commands). The accuracy value may range between, e.g., "0" and "1", where "1" represents the best possible accuracy and "0" represent the worst possible accuracy (e.g., duplicate phrases or tones). For example, the speech menu having words "should" and "could" would have a low accuracy value since acoustical patterns of these two exemplary words are very similar. On the other hand, words such as "shall" and "may" would have a high accuracy value since the acoustic patterns of these words are distinguishable. Here, the second sound command and the third sound command have similar acoustical patterns, thus the accuracy of SEA 110 is reduced.

Figure 4 shows a flow chart illustrating an exemplary operation of DAA 120 according to an embodiment of the present invention. In step 200, DAA 120 checks the first speech menu to determine a first accuracy value between the first and second sound commands. The first accuracy value may be, for example, 0.7 if the first sound command and the second sound command do not have similar acoustical patterns.

In an alternative exemplary embodiment of the present invention, DAA 120 may also begin its operation with step 210 without any sound commands existing in the first speech menu.

After the third sound command is added to create the second speech menu (step 210), a second accuracy value is determined by analyzing acoustical patterns of the first and third sound command against acoustical pattern(s) of the second speech menu. The second accuracy value may be, e.g., 0.15 because "Turn off PC" for the first sound command and "Turn off TV" for the third sound command have similar acoustical patterns. (See step 220). In step 230, DAA 120 compares the second accuracy value to a standard (i.e., threshold) accuracy value. The standard accuracy value may be determined as a function of the first accuracy value, an average accuracy value and/or a predetermined accuracy value. The average accuracy value is determined based on average of prior accuracy values of DAA 120.

If the second accuracy value is less than the standard accuracy value then at least one sound command which causes the second accuracy value to be less than the standard accuracy value is replaced. For instance, DAA 120 may replace the third sound command with another sound command which provides similar meaning but has a different acoustical pattern. (See step 240). The third sound command may be replaced with a fourth sound command (e.g., "Turn Television off"). In another embodiment of the present invention, the user may be asked to choose which sound command would be replaced (e.g., whether to replace the first sound command and/or the third sound command).

Once again, the second accuracy value is determined for the second speech menu which now includes the fourth sound command. (See step 220). DAA 120 replaces one of the sound commands of the second speech menu until the second accuracy value is greater than or equal to the standard accuracy value.

When the second accuracy value is greater than or equal to the standard accuracy value then the second speech menu becomes a final speech menu. (See step 250). As shown in Figure 5 the final speech menu now includes the first sound command and the fourth sound command which have sufficiently dissimilar acoustical patterns (*i.e.*, synonyms). The third sound command is not a part of the final speech menu.

Accurate and usable SEA 110 with DAA 120, provided by the method and apparatus according to an embodiment of the present invention, can be utilized advantageously for Cordless PC Access Capability Devices. A full range of such devices can use the sound command as a primary means of communication with the user.

The method and apparatus according to an embodiment of present invention also enables a use of a broad range of SEAs to coexist on the same user interface (*i.e.*, the top level or any other level), thus allowing the ISVs to construct the SEA which use speech centric devices, such as, *e.g.*, Cordless PC Access Capability Devices. The ISVs are capable of executing the SEA for the electronic device without conflicting with other installed applications. Thus, a broad range of SEAs may co-exist on the same interface. For example, the user may be able to control a home automation function, a electronic device and a PC assisted telephone from the same device.

Another advantage of an embodiment of the present invention is that inter-operability between SEAs written by different ISVs is increased. Applications can be written by the ISVs that dynamically choose top level menu items depending on which items already exist. Without utilizing the present invention, one must manually construct a top level speech manager in order to prevent conflicts between SEAs.

Yet another advantage of the method and apparatus according to an embodiment of the present invention is that it allows SEAs to dynamically create the most appropriate sound commands and allows applications to support a wide variety of phrases based on the environment in which they are installed.

A further advantage of an embodiment of the present invention is that it may be used by sound centric applications to constrict and present menus to the user. The SEA may utilize this embodiment to determine the quality of the local menus and the effects of how their menus would perform when combined with other menus, for example, from the ISVs.

Another advantage of an embodiment of the present invention is that the users' perception of the accuracy of SEA is increased. Choosing the correct sound commands has a positive effect on the user regarding the accuracy of SEA. By applying DAA to the speech menus, the ISVs can easily choose sound commands that are more likely to provide accurate speech recognition.

Several embodiments of the present invention are specifically illustrated and/or described herein. However, it will be appreciated that modifications and variations of the present invention are covered by the above teachings and within the purview of the appended claims without departing from the spirit and intended scope of the present invention.

WHAT IS CLAIMED IS:

1. A method for developing a speech menu which is adapted to store a plurality of sound commands for a speech-enabled application, comprising the steps of:
 - a) comparing a first sound command of the plurality of sound commands to a second sound command to determine an accuracy value; and
 - b) if the accuracy value is less than a predetermined value, replacing at least one of the first sound command and the second sound command with a third sound command.
2. The method according to claim 1, further comprising the step of:
 - c) before step (a), adding the second sound command to the speech menu.
3. The method according to claim 1, further comprising the step of:
 - d) before step (b), determining the predetermined value as a function of at least one of the accuracy value, a predetermined threshold value and an average accuracy value, the average accuracy value being determined as a function of an average of a plurality of prior accuracy values.
4. The method according to claim 1, wherein step (a) includes the substep of:
determining the accuracy value using an acoustical pattern matching procedure.
5. The method according to claim 1, wherein at least one of the first and second sound commands and the third sound command are synonyms.
6. The method according to claim 1, further comprising the step of:

e) repeating steps (a) - (b) for each sound command of the speech menu.

7. The method according to claim 9, wherein each of the plurality of sound commands includes at least one of a word, a phrase and at least one tone.
8. A speech-enabled apparatus for developing a speech menu which is adapted to store a plurality of sound commands for a speech-enabled application, comprising:
a distance accuracy module capable of comparing a first sound command of the plurality of sound commands to a second sound command in the speech menu to determine an accuracy value, the distance accuracy module capable of replacing at least one of the first sound command and the second sound command with a third sound command if the accuracy value is less than a predetermined value.
9. The speech-enabled apparatus according to claim 8, wherein the speech-enabled apparatus includes a computer.
10. The speech-enabled apparatus according to claim 8, wherein the speech-enabled apparatus is coupled to at least one device using at least one of a serial connection, a parallel connection, a dedicated card connection, an internet connection and a wireless connection.
11. The speech-enabled apparatus according to claim 10, wherein the at least one device includes at least one of a computer, a stereo system, a telephone, a VCR, a home appliance control device, a cordless computer access device and a lighting system.
12. The speech-enabled apparatus according to claim 8, wherein each of the plurality of sound commands includes at least one of a word, a phrase and at least one tone.

18. The set of instructions according to claim 13, wherein the method further comprising the step of:
e) repeating steps (a) - (b) for each sound command of the speech menu.
19. The set of instructions according to claim 13, wherein each of the plurality of sound commands includes at least one of a word, a phrase and at least one tone.
20. A computer data signal embodied in a carrier wave to develop a speech menu, the speech menu being adapted to store a plurality of sound commands for a speech-enabled application, the computer data signal comprising:
a) a comparison source code segment comparing a first sound command of the plurality of sound commands to a second sound command to determine an accuracy value; and
b) a replacing source code segment replacing at least one of the first sound command and the second sound command with a third sound command if the accuracy value is less than a predetermined value.


ABSTRACT

Method and apparatus are provided for developing a speech menu which is adapted to store a plurality of sound commands for a speech-enabled application. A first sound command of the plurality of sound commands is compared to a second sound command to determine an accuracy value. If the accuracy value is less than a predetermined value, then at least one of the first sound command and the second sound command is replaced with a third sound command.

NY3-2531-5

09216457 121858

Figure 1






Figure 2a




Figure 2b




Figure 3




Figure 5




Figure 4

DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

As a below named inventor, I hereby declare that:

My residence, post office address, and citizenship are as stated below next to my name,

I believe I am an original, first, and sole inventor of the subject matter that is claimed and for which a patent is sought on the invention entitled **METHOD AND APPARATUS FOR REDUCING CONFLICTS BETWEEN SPEECH-ENABLED APPLICATIONS SHARING SPEECH MENU**, the specification of which

X is attached hereto.

_____ was filed on _____ as United States Application Number _____ or PCT International Application Number _____ and was amended on _____ (if applicable)

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claim(s), as amended by any amendment referred to above. I do not know and do not believe that the claimed invention was ever known or used in the United States of America before my invention thereof, or patented or described in any printed publication in any country before my invention thereof or more than one year prior to this application, that the same was not in public use or on sale in the United States of America more than one year prior to this application, and that the invention has not been patented or made the subject of an inventor's certificate issued before the date of this application in any country foreign to the United States of America on an application filed by me or my legal representatives or assigns more than twelve months (for a utility patent application) or six months (for a design patent application) prior to this application.

I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, § 1.56(a), a copy of which is attached.

PRIOR FOREIGN APPLICATION(S)

I hereby claim foreign priority benefits under Title 35, United States Code, § 119(a)-(d), of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificated having a filing date before that of the application on which priority is claimed:

APPLICATION NUMBER	COUNTRY	FILING DATE (day, month, year)	PRIORITY CLAIMED Yes No

PRIOR UNITED STATES APPLICATION(S)

I hereby claim the benefit under Title 35, United States Code, § 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, § 112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, § 1.56(a) which occurred between the filing date of the prior application and the national or PCT international filing date of this application.


APPLICATION NUMBER	FILING DATE (day, month, year)	STATUS (i.e. Patented, Pending, Abandoned)

POWER OF ATTORNEY: I hereby appoint: Paul H. Heller (Reg. No. 21,074); John C. Altmiller (Reg. No. 25,951); Felix L. D'Arienzo, Jr. (Reg. No. 27,631); Shawn W. O'Dowd (Reg. No. 34,687); Michelle M. Carniaux (Reg. No. 36,098) of KENYON & KENYON with offices located at 1025 Connecticut Ave., N.W., Washington, D.C. 20036, telephone (202) 429-1776, and James E. Jacobson, Jr. (Reg. No. 31,626); Thomas C. Reynolds (Reg. No. 32,488); Raymond J. Werner (Reg. No. 34,752); Richard C. Calderwood (Reg. No. 35,468); Joseph R. Bond (Reg. No. 36,458); Naomi Obinata (Reg. No. 39,320) of INTEL CORPORATION my attorneys with full power of substitution and revocation, to prosecute this application and to transact all business in the Patent and Trademark Office connected herewith.

SEND CORRESPONDENCE, AND DIRECT TELEPHONE CALLS TO:

John C. Altmiller
KENYON & KENYON
1025 Connecticut Avenue, N.W.
Washington, D.C. 20036
(202) 429-1776 (phone)
(202) 429-0796 (facsimile)

I hereby declare that all statements made herein of my own knowledge are true and all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under § 1001 of Title 18 of the United States Code and that such willful statements may jeopardize the validity of the application or any patent issuing thereon.

FULL NAME OF SOLE INVENTOR	FAMILY NAME CONNELLY	FIRST GIVEN NAME JAY	SECOND GIVEN NAME H.
RESIDENCE & CITIZENSHIP	CITY Portland	STATE OR FOREIGN COUNTRY Oregon	COUNTRY OF CITIZENSHIP United States
POST OFFICE ADDRESS	POST OFFICE ADDRESS 4415 NW Kalmecut Drive 3148 NW 126 th PL.	CITY Portland	STATE & ZIP CODE/COUNTRY Oregon 97229
Signature 	Date 12/15/98		

091643 121399
058121 2543260